




3DOF Helicopter Simulator

www.solutions4u-asia.com

The 3DOF helicopter simulator, which has 3 degrees of freedom in rotation, is a new educational product developed by Googol Technology. It is not only of great value in the field of aviation and space flight research but also ideal to evaluate feedback strategies, such as PID, LQR, H infinity, fuzzy, neural net - any one you wish to implement. As one of the newly recommended products, its hardware system is matched with a textbook which covers classical control, modern control and dynamic modeling experiments in details, so it offers the students and researchers in the fields of automation and mechatronics a unique opportunity to control the pitch and yaw of a simplified helicopter.



Structure and Operation Principle:

The 3DOF helicopter simulator consists of a pedestal upon which a long arm is mounted. The arm carries the "helicopter body" on one end and a counterweight on the other. The arm can also tilt about an "elevation" axis as well as swivel about a vertical (travel) axis. Optical encoders mounted on these axes enables the measuring of the elevation and travel of the arm. The helicopter body mounted at the end of the arm is free to pitch around the "pitch" axis. The pitch angle is measured via a third encoder. Two motors with propellers mounted on the helicopter body can generate a force proportional to the voltage applied to the motors. The force generated by the propellers causes the helicopter body to lift off the ground. The counterweight can reduce the power requirements on the motors; it is adjusted so that the effective mass of the body is proper. All electrical signals to and from the arm are transmitted via a slip-ring in order to eliminate the possibility of tangled wires and reduce the amount of friction.

System Features:

- Hardware platform based on PC and DSP-based motion controller.
- Experimental entity platform provided for the major of aviation.
- Comprehensive experiment kit, covering the dynamic modeling, classic control experiment, modern control experiment, optimized control experiment and intelligent control experiments. Users can select relevant algorithm for the experiment and teaching needs of various courses.

Applicable Courses:

1. Mechanical control engineering
2. Automatic control principle
3. Modern control engineering
4. Linear control system

Technical Specification

L x W x H	600mm x 600mm x 1290mm
Weight	50 Kg
Pitching Itching	-30° ~ 40°
Cruise Angle	0° ~ 360°
Power Input	AC220V 50Hz 2A
Motion Controller	GT-400-SV
DC Motor	12V 20A
Encoder	600P/R
Collector	18

Ordering Guide

Model Number	Product Name	Description
GHP-2002	3DOF Helicopter Simulator Model	<ul style="list-style-type: none"> • 3DOF Helicopter Simulator main body • GT-400-SV-PCI motion controller • Control software (DOS version with a part of course code provided) • Googol SIMULINK software experiment platform

Distributed by:

Solutions4U

Solutions 4U Sdn Bhd (706527-A) 72-3C, Jalan Puteri 2/4, Bandar Puteri, 47100 Puchong, Selangor, Malaysia Tel : +603-8063 9300 Fax : +603-8063 9400

Solutions 4U Pte Ltd (200713296Z) 259 Onan Road, Singapore 424651 Tel: +65 6468 3325 Fax: +65 6764 5646 www.solutions4u-asia.com enquiry@solutions4u-asia.com